

## Elevation Pendant

## Technical Specifications



## Product Details

### Lighting Specifications

3K Warm white  
19.2 Watts per metre  
1140 Lumens per metre  
24 Volt  
Dimmable

**Note for electrician:**  
White cable wire = Positive  
Clear cable wire = Negative

**Please note:**  
Each light includes  
an auxiliary dimmable  
transformer.

### Material

Solid Brass

### Finishes

Aged Brass  
Dark Antique  
Blackened Brass




**Please note:**  
All finishes are  
sealed with a clear  
satin lacquer unless  
specified otherwise.

### Product Dimensions (mm)

600 L x 150 H x 25 D + 1600 L x 150 H x 25 D  
900 L x 150 H x 25 D + 2000 L x 150 H x 25 D

## Product Details

### Ceiling Rose Detail



## Product Care

- Regular gentle care and maintenance will preserve and extend the life of your product.
- We suggest cleaning weekly, remove dust with a dry soft microfibre cloth, a damp microfibre cloth may be also be used for tougher areas.
- We recommend only using water. Avoid using cleaning products, oils, and other polishes as they may cause permanent damage.
- We recommend wearing gloves when installing and cleaning your products.
- Do not leave moisture, cleaning products, or solutions on the surface of our products as they may erode the lacquer.

### Product Details

#### Wire Specifications (for 1600 L x 150 H x 25 D horizontal Elevation Pendant)

Standard length of hanging support wire is 1.8m. Standard length of hanging electrical wire is 3m. This will be long enough to suit a floor-to-ceiling (stud) height at a max of 3.6 metres.


**We will require confirmation on the hanging wire lengths prior to production. We will contact you to confirm your requirements.**

**Please note:** The electrical cable runs up one of the hanging support wires and both are encased in a clear plastic sleeve.

#### Transformer Specifications

**Wattage:** 80

**Dimensions:** 170 x 55 x 30mm



### Product Details

#### Wire Specifications (for 2000 L x 150 H x 25 D horizontal Elevation Pendant)

Standard length of hanging support wire is 1.8m. Standard length of hanging electrical wire is 3m. This will be long enough to suit a floor-to-ceiling (stud) height at a max of 3.6 metres.


**We will require confirmation on the hanging wire lengths prior to production. We will contact you to confirm your requirements.**

**Please note:** The electrical cable runs up one of the hanging support wires and both are encased in a clear plastic sleeve.

#### Transformer Specifications

**Wattage:** 100

**Dimensions:** 230 x 70 x 45mm



## Elevation Pendant

## Technical Specifications

### Product Details

#### Wire Specifications (for 600 L x 150 H x 25 D vertical Elevation Pendant)

Standard length of hanging support wire is 3m. Standard length of hanging electrical wire is 4m.




**We will require confirmation on the hanging wire lengths prior to production. We will contact you to confirm your requirements.**

**Please note:** The electrical cable runs up one of the hanging support wires and both are encased in a clear plastic sleeve.

#### Transformer Specifications

**Wattage:** 40

**Dimensions:** 135 x 50 x 30mm



### Product Details

#### Wire Specifications (for 900 L x 150 H x 25 D vertical Elevation Pendant)

Standard length of hanging support wire is 3m. Standard length of hanging electrical wire is 4m.

**We will require confirmation on the hanging wire lengths prior to production. We will contact you to confirm your requirements.**

**Please note:** The electrical cable runs up one of the hanging support wires and both are encased in a clear plastic sleeve.

#### Transformer Specifications

**Wattage:** 60

**Dimensions:** 135 x 50 x 30mm

