

Lateral Deep Pendant

Technical Specifications



Product Details

Lighting Specifications

3K Warm white
19.2 Watts per metre
1140 Lumens per metre
24 Volt
Dimmable

Please note
Each light includes
an auxiliary dimmable
LED driver.

Note for electrician:
Positive = insulated centre core
Negative = external braided wire

Material

Solid Brass

Finishes

Aged Brass
Dark Antique
Blackened Brass




Please note:
All finishes are
sealed with a clear
satin lacquer unless
specified otherwise.

Product Dimensions (mm)

1800 L x 50 H x 25 D
2200 L x 50 H x 25 D
2800 L x 50 H x 25 D
3200 L x 50 H x 25 D

Product Details

Ceiling Rose Detail



Product Care

- Regular gentle care and maintenance will preserve and extend the life of your product.
- We suggest cleaning weekly, remove dust with a dry soft microfibre cloth, a damp microfibre cloth may be also be used for tougher areas.
- We recommend only using water. Avoid using cleaning products, oils, and other polishes as they may cause permanent damage.
- We recommend wearing gloves when installing and cleaning your products.
- Do not leave moisture, cleaning products, or solutions on the surface of our products as they may erode the lacquer.

Lateral Deep Pendant

Technical Specifications

Product Details

Wire Specifications (for 1800mm long Lateral Deep Pendants)

All braided hanging wires are supplied at standard length of 1.8 metres.



For the 1800mm long pendant, the standard hanging wires & electrical cable will be inset 150mm in from each end of the light.

Please note: Power feed labelled and positive identified for ease of installation.

LED Driver Specifications

Wattage: 40

Dimensions: 110 x 40 x 30mm



Lateral Deep Pendant

Technical Specifications

Product Details

Wire Specifications (for 2200mm long Lateral Deep Pendants)

All braided hanging wires are supplied at standard length of 1.8 metres.



For the 2200mm long pendant, the standard hanging wires & electrical cable will be inset 200mm in from each end of the light.

Please note: Power feed labelled and positive identified for ease of installation.

LED Driver Specifications

Wattage: 60

Dimensions: 145 x 50 x 30mm



Lateral Deep Pendant

Technical Specifications

Product Details

Wire Specifications (for 2800 long Lateral Deep Pendants)



All braided hanging wires are supplied at standard length of 1.8 metres.

For the 2800mm long pendant, the standard hanging wires & electrical cable will be inset 500mm in from each end of the light.

Please note: Power feed labelled and positive identified for ease of installation.

LED Driver Specifications

Wattage: 80
Dimensions: 175 x 55 x 35mm



Lateral Deep Pendant

Technical Specifications

Product Details

Wire Specifications (for 3200mm long Lateral Deep Pendants)

All braided hanging wires are supplied at standard length of 1.8 metres.

For the 3200mm long pendant, the standard hanging wires & electrical cable will be inset 500mm in from each end of the light.

Please note: Power feed labelled and positive identified for ease of installation.

LED Driver Specifications

Wattage: 80
Dimensions: 175 x 55 x 35mm

